	Туре	Hits		DBs	Time Stamp	Comm ents	Error Defin tion	Err ı
1	BRS	0	(plurality near2 semiconductor near2 resonat\$4) and 372/\$ and group adj V	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/18 16:42			0
2	BRS	3	(plurality near semiconductor near resonat\$5) and 372/\$	JPO; DERWENT; IBM_TDB	2002/03/18 16:03			0
3	BRS	734	(semiconductor near3 resonat\$5) and 372/\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/18 16:05			0
4	BRS	15	(semiconductor near2 resonat\$4) and 372/\$ and group adj V	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/18 16:05		·	0
5	BRS	222	((semiconductor near3 resonat\$5) and 372/\$) and ((high near resistance) or groove)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/18 16:39			0
6	BRS	11	(((semiconductor near3 resonat\$5) and 372/\$) and ((high near resistance) or groove)) and ((semiconductor near2 resonat\$4) and 372/\$ and group adj V)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/18 16:07			0
7	BRS	35	((semiconductor near3 resonat\$5) and 372/\$) and ((high near resistance) and groove)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/18 16:40			0
8	BRS	70	((semiconductor near3 resonat\$5) and 372/\$) and ((high near resistance) or (stripe near shaped near groove))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/18 16:40			0
9	BRS	3	((semiconductor near3 resonat\$5) and 372/\$) and ((high near resistance) and (stripe near shaped near groove))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/18 17:01			0
10	BRS	1	(((semiconductor near3 resonat\$5) and 372/\$) and ((high near resistance) and (stripe near shaped near groove))) and group adj V	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/18 16:44			0
11	BRS	7	(((semiconductor near3 resonat\$5) and 372/\$) and ((high near resistance) and groove)) and group adj V		2002/03/18 16:45			0
12	BRS	11	(((semiconductor near3 resonat\$5) and 372/\$) and ((high near resistance) or (stripe near shaped near groove))) and group adj V	USPAT; US-PGPUB; EPO;	2002/03/19 09:54		, i	0
13	BRS	4	((semiconductor near3 resonat\$5) and 372/\$) and ((high near resistance) and (stripe near groove))		2002/03/18 17:01			0
14	BRS	28	(((semiconductor near3 resonat\$5) and 372/\$) and (((high and low) near	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/19 09:01			0

	Туре	Hits	Search Text	DBs	Time Stamp	Comm ents	Error Definition	
15	BRS	0	(((semiconductor near3 resonat\$5) and 372/\$) and (((high and low) near resistance) and (stripe near shaped near groove)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/19 09:01			0
16	BRS	70	(((semiconductor near3 resonat\$5) and 372/\$) and ((high near resistance) or (stripe near shaped near groove)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/19 09:02			0
17	BRS	0	(semiconductor near3 resonat\$5) and 372/\$ and (high near resistance) and (low near resistance) and (stripe near shaped near groove)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/19 09:03			0
18	BRS	17	(semiconductor near3 resonat\$5) and 372/\$ and (stripe near shaped near groove)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/19 09:03			0
19	BRS	24	(semiconductor near3 resonat\$5) and 372/\$ and (stripe near groove)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/19 09:03			0
20	BRS	201	(semiconductor near3 resonat\$5) and 372/\$ and (groove)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/19 09:03			0
21	BRS	29	(semiconductor near3 resonat\$5) and 372/\$ and (groove) and (resistan\$5 near (region or layer or film or medium))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/19 09:20		,	0
22	BRS	29	(semiconductor near3 resonat\$5) and 372/\$ and (groove or (stripe near groove) or (shaped near groove)) and (resistan\$5 near (region or layer or film or medium))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/19 09:22			0
23	BRS	15	((semiconductor near3 resonat\$5) and 372/\$ and (groove or (stripe near groove) or (shaped near groove)) and (resistan\$5 near (region or layer or film or medium))) and (group near V)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/19 09:56			0
24	BRS	4	(((semiconductor near3 resonat\$5) and 372/\$ and (groove or (stripe near groove) or (shaped near groove)) and (resistan\$5 near (region or layer or film or medium))) and (group near V)) and infrared	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/19 10:19			0
25	BRS	3	((((semiconductor near3 resonat\$5) and 372/\$ and (groove or (stripe near groove) or (shaped near groove)) and (resistan\$5 near (region or layer or film or medium))) and (group near V)) and infrared) and (refractive near (index or indice or indec))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/19 09:59			0

	Туре	Hits	Search Text	DBs	Time Stamp	Comm ents	Err r Defini tion	Error s
26	BRS	0	((semiconductor near3 resonat\$5) and 372/\$ and (groove or (stripe near groove) or (shaped near groove)) and (resistan\$5 near (region or layer or film or medium))) and (air near gap)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/19 10:01			0 .
27	BRS	3	((semiconductor near3 resonat\$5) and 372/\$ and (groove)) and (air near gap)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/19 10:19			0
28	BRS	78	((semiconductor near3 resonat\$5) and 372/\$ and (groove)) and (insulat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/19 10:03			0
29	BRS	4	((semiconductor near3 resonat\$5) and 372/\$ and (groove)) and (electrical\$4 near insulat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/19 10:12			0 -
30	BRS	'	((semiconductor near3 resonat\$5) and 372/\$ and (groove)) and (groove near insulat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/19 10:12			0
31	BRS	o	((((semiconductor near3 resonat\$5) and 372/\$ and (groove)) and (groove near insulat\$4)) and infrared) and (air near gap)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/19 10:20			0
32	BRS	1	(((semiconductor near3 resonat\$5) and 372/\$ and (groove)) and (groove near insulat\$4)) and infrared	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/19 12:44			0
33	BRS	0	(groove)) and dc and dvd	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/19 12:44			0